

A sample beamer presentation in L^AT_EX

Leonard Goff

ECONGU4999
October 30 2019

leonard.goff@columbia.edu

A typical slide

Here are some things I want to talk about:

- Thing 1
- Thing 2
- Thing 3

The above list used `wideitemize`. Typical `itemize` spacing:

- Thing 1
- Thing 2
- Thing 3

Here are some things I want to talk about:

- Thing 1

Here are some things I want to talk about:

- Thing 1
- Thing 2

Here are some things I want to talk about:

- Thing 1
- Thing 2
- Thing 3

Uncovering items

Here are some things I want to talk about:

- Thing 1
- Thing 2
- Thing 3

Uncovering items

Here are some things I want to talk about:

- Thing 1
- Thing 2
- Thing 3

Uncovering items


Here are some things I want to talk about:

- Thing 1
- Thing 2
- Thing 3

This slide will be skipped in slide counter


Venn diagram

Here's a diagram with the Tikz package:




Venn diagram

Here's a diagram with the Tikz package:




Venn diagram


Here's a diagram with the Tikz package:



You can even plot functions



I like to use TeXstudio



I check from the histogram of X that property P holds approximately. [Details](#)

Some regression results

	<i>Dependent variable:</i>		
	not robust (1)	wage robust (2)	robust (3)
employment	0.023*** (0.001)	0.023*** (0.005)	0.023*** (0.005)
unemp			-399.665*** (50.053)
Constant	23,452.380*** (104.080)	23,452.380*** (171.421)	25,647.870*** (359.606)
Observations	3,216	3,216	3,207
R ²	0.206	0.206	0.227
Adjusted R ²	0.205	0.205	0.226
Residual Std. Error	5,700.850 (df = 3214)	5,700.850 (df = 3214)	5,630.677 (df = 3204)
F Statistic	831.685*** (df = 1; 3214)	831.685*** (df = 1; 3214)	469.627*** (df = 2; 3204)

Note:

* $p < 0.1$; ** $p < 0.05$; *** $p < 0.01$

Extra Slides

An extra slide

Back